

Section 1. Identification

Product Name: Silpro TDQ™ (Thin Deep Quick Repair)

Effective Date: 31 May 2015

Replaces: 6 October 2014

Manufacturer Name: Silpro, LLC

Address: 2 New England Way
Ayer, MA 01432-1514

24/7 EMERGENCY PHONE: INFOTRAC 800-535-5053 Call collect internationally 352-323-3500

24/7 HEALTH EMERGENCIES: 800-222-1222 National Poison Control Center.

Section 2. Hazard(s) Identification

Emergency overview: Gray solid or powder with a little odour. Silpro TDQ (Thin Deep Quick Repair) May eye damage and skin irritation. Inhalation may cause respiratory irritation and ingestion may cause gastric distress.



GHS Pictograms:

GHS Signal Word: WARNING

POTENTIAL HEALTH EFFECTS:

CODE OF HAZARD STATEMENTS:

Physical hazards

None.

Health Hazards

H302, Harmful if swallowed.

H313, May be harmful in contact with skin.

H315, Causes skin irritation.

H319, Causes eye irritation.

H333, May be harmful if inhaled.

H350, May cause cancer

Environmental hazards

H402, Harmful to aquatic life.

CODE OF PRECAUTIONARY STATEMENTS:

General

P101, Keep out of reach of children.

P103, Read label before use.

Prevention

P234, Keep only in original container.

P261, Avoid breathing dust.

P262 Do not get in eyes, on skin or on clothing.

P264, Wash thoroughly after handling.

P270, Do not eat, drink or smoke when using this product.

P280, Wear protective gloves/protective clothing/eye protection/face protection.

Response

P312, Call a POISON CENTER or doctor/physician if you feel unwell.

P331, DO NOT induce vomiting.

P340, Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P352, Wash with plenty of soap and water.

P362, Take off contaminated clothing and wash before reuse.

Storage

P402, Store in a dry place.

P403, Store in a well-ventilated area.

ROUTES OF ENTRY: Eye contact, skin adsorption, ingestion and inhalation.

CARCINOGENICITY: Crystalline silica is listed as a carcinogen.

Section 3. Composition/Information on Ingredients

Ingredients				
Component	CAS #	EINECS #	Percent	REACH Reg. #
Crystalline silica	14808-60-7	238-878-4	>51	No
Portland Cement	65997-15-1	266-043-4	>35	No
Slag Cement	65996-69-2	266-002-0	>12	No
Proprietary ingredients	NA	NA	>2	No

Section 4. First Aid Measures

Eye Contact: Flush eyes with water immediately while holding eyelids open. Remove contacts, if worn, after initial flushing and continue flushing for at least 15 minutes. Seek medical attention if irritation persists.

Skin Contact: Use soap and water to remove from the skin, remove contaminated clothing, clean thoroughly before reuse. If irritation persists, contact a physician.

Inhalation: Move to fresh air. If not breathing, give rescue breathing. If breathing is difficult, give oxygen. Seek medical attention if breathing is still difficult.

Ingestion: If swallowed, get medical attention immediately. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person.

Section 5. Fire Fighting Measures

Flash Point: Not combustible.

Flammability Limits: NE.

Fire Fighting Media: Use dry chemical and carbon dioxide.

Special Fire Fighting Procedures: Product will decompose above 414°F (200°C). First responders need to wear full-bunker gear with SCBA, never enter a confined space unless fully protected with proper personal protective equipment (PPE).

Section 6. Accidental Release Measures

Use personal protective equipment, see section 8.

Clean-up Procedures: Stop the source of the release if you are not put at risk. Use absorbent material (such as sand or kitty litter) to absorb the spill, use shovel to pick up absorbent for disposal.

Spills and Leaks: Dispose in accordance to local, state or federal regulations.

Section 7. Handling and Storage

Handling: Do not get into eyes, on skin and on clothing. Do not breathe dusts or mists. Wash thoroughly after handling. Do not freeze. Keep out of sunlight.

Storage: Store in original labeled container. Keep in cool and dry areas.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks: Consider the potential hazards of this product outlined in section 2. Use process exposures such as local exhaust ventilation, to control over exposure to airborne levels above recommended exposure limits.

Ingredient	OSHA PEL
Portland cement	5 mg/m ³
Crystalline silica	10 mg/m ³
Slag cement	10 mg/m ³

Personal Protection:

Eyes: Wear safety goggles or safety glasses to prevent eye contact.

Body: Long sleeve shirts, long pants, socks, rubber boots and chemical-resistant gloves.

Hands: Neoprene chemical-resistant gloves.

Respiratory: Wear an approved respirator that provides protection from this product if the airborne concentrations exceed the recommended exposure limits.

Other: None.

Section 9. Physical and Chemical Properties

Odour/Colour	Gray solid or powder/Slight odour	Melting point	>3110°F (1710°C)
Solubility	Miscible in water	Specific gravity (water=1)	>3 @ 68°F (20°C)

Section 10. Stability and Reactivity

Chemical Stability: Considered stable under normal ambient temperatures.

Hazardous Decomposition: If complete combustion, oxides of carbon and silicate are formed.

Hazardous Polymerization: Will not occur

Incompatibility - Materials to Avoid: No known materials that are incompatible.

Section 11. Toxicological Information

The product is not toxic.

Acute Eye Irritation: Severe eye damage.

Acute Skin Irritation: May be irritating.

Acute Dermal Toxicity: Not expected to be toxic through the skin.

Acute Inhalation Toxicity: Not determined, expected to be an irritant to the respiratory system.

Carcinogenic Effects: Crystalline silica.

Section 12. Ecological Information

Ecotoxicity: The toxicity of this product has not been determined.

Environmental Fate: This product's environmental fate has not been determined.

Section 13. Disposal Considerations

Waste Disposal Method: Whatever cannot be saved for recovery or recycling should be managed by the local, state or Federal Regulations

Container Handling and Disposal: All containers should be disposed of according to local, state and Federal regulations.

Section 14. Transport Information

Ground Classification: Not regulated by US DOT.

Shipping Name: Silpro TDQ™ (Thin Deep Quick Repair)

IATA or IMO: Not regulated.

Section 15. Regulatory Information

EPCRA 311/312 Categories:	Immediate (Acute) Health Effects:	Yes
	Delayed (Chronic) Health Effects:	Yes
	Fire Hazard:	No
	Sudden Release of Pressure	No
	Reactivity:	No

European Community Pictogram:  Irritant

WHMIS: Xi (Irritant to the eyes and skin).

Right to know classification: Crystalline silica in the United States.

TSCA: None of the ingredients are listed.

Reportable Quantity (RQ): None.

Prop. 65: Crystalline silica.

Crystalline silica is listed in chemical inventories of ACIS, ECL, EEC, ENCS, EU, Israel, MAC, MAK, MITI, PICCS, SWISS, Taiwan, USA and UK.

Abbreviations:

CAS #	Chemical Abstract Service Number	EINECS	European Inventory of existing Commercial Chemical Sales
°C	Celsius temperature scale	°F	Fahrenheit temperature scale
Prop.	Proprietary	PE	Personal Protective Equipment
TLV	Threshold Limit Value	TWA	Time Weighted Average
STEL	Short-term Exposure Limit	PEL	Permissible Exposure Limit
OSHA	Occupational Safety & Health	NIOSH	National Institute of Safety & Health
NFPA	National Fire Protection Agency	WHMIS System	Workplace Hazardous Materials Information System
NTP	National Toxicology Program	IARC	Int. Agency for Research on Cancer



Safety Data Sheet

Silpro™ TDQ (Thin Deep Quick Repair)

- | | | | |
|------------------|--|------------------|---|
| RCRA | Resource Conservation Recovery Act | TSCA | Toxic Substance Control Act |
| EC ₅₀ | Effective Dose | LC ₅₀ | Lethal Inhalation Concentration |
| LD ₅₀ | Lethal Dose | CAS | Chemical Abstract Service Number |
| LEL | Lower explosive limit | UEP | Upper explosive limit |
| NDA | No Data Available | ND | Not determined |
| NE | None established | NA | Not Applicable |
| ≤ | Less Than or Equal To | ≥ | Greater Than or Equal To |
| CNS | Central Nervous System | CI | China |
| DSL | Canada | ECL | Korean Existing Chemicals List |
| EEC | European Economic Commission | ENCS | Japanese Existing and New Chemical List |
| EU | European Union | MAC | Netherlands |
| MAK | Germany | MITI | Japan |
| PICCS | Philippines | SWISS | Giftlist 1 |
| UK | United Kingdom | USA | United States |
| VOC | Volatile organic content | | |
| ACGIH | American Conference of Government Industrial Hygienists | | |
| SARA | Superfund Amendments and Reauthorization Act | | |
| AICS | Australian Inventory of Chemical Substances | | |
| IARC | International Agency for Research on Cancer | | |
| Taiwan | List of Toxic Chemical Substances regulated under Taiwan Toxic Chemical Substances Control Act of 1086 | | |

Section 16. Other Information

Hazardous Material Information (HMIS)

National Fire Protection Association (NFPA)

Health	1	1	Health
Fire	0	0	Fire
Reactivity	0	0	Instability
Personal Protection	E		NA

Health 4 Deadly 3 Extreme Danger 2 Dangerous 1 Slight hazard 0 No hazard
 Fire 4 < 73 °C 3 < 100 °C 2 < 200 °C 1 >200 °C 0 Will not burn
 Reactivity/Instability 4 – May detonate 3 Explosive 2 Unstable 1 Normally stable 0 Stable

Prepared by: Dennis E. Belau

Reviewed by: Regulatory department

Disclaimer:

The information is furnished without warranty, representation, inducement, or license of any kind, except that it is accurate to the best of Silpro, LLC (company) knowledge. Because use conditions and applicable laws may differ from one location to another and may change with time, Recipient is responsible for determining whether the information is appropriate for recipient's use. Since company has no control over how this information may be ultimately used, all liability is expressly disclaimed and company assumes no liability.